

EGRO ONE Top Milk Powder with KS9 Fridge

High Volume Super Automatic Espresso Machine

ESPRESSO MACHINE SPECIFICATIONS:

The Egro ONE Top Milk is a high volume fully automatic espresso machine with a touchscreen user interface. It features a stainless steel 18-gram patented brew group with advanced sealing technology. This makes the brew group the most durable in its class, reduces maintenance needs, and lowers the cost of ownership. The ONE uses dual Ditting™ grinders with stainless steel burrs for quick and consistent grinding. The body of the machine features stainless steel and ABS plastic construction. Milk is pumped from the KS9 Top Milk fridge. Includes the ability to set different milk temperatures and textures for each drink.



STANDARD FEATURES:

- Standard 5.7" full-color touchscreen graphical user interface enables up to 48 drink selections
- Single milk pump system
- Automatic milk frothing and delivery with a push of a button
- Top Milk fridge (KS9) 6.5 liter (1.7 gallons) countertop fridge fits perfectly on the left side of the machine
- Set different milk temperatures and textures for each drink
- Americano bypass enables machine to deliver authentic Americanos into a single cup
- Centralized hot water
- Requires only 12" of counter space
- Stainless steel 18-gram patented brewing
- Daily milk cleaning cycle only requires the operator to add detergent
- 2-year parts warranty

ACCESSORIES IN THE BOX:

- Plastic grounds bin container
- One-month supply of daily cleaning products
- Milk container
- Container for daily cleaning
- User manual
- Foot extensions

The Powder Module allows the management of a great number of beverages in powder form. It is an external device positioned on the right hand side of the machine and consists of two hoppers that may be used with one type of powder or may operate independently with different water soluble powders like vanilla powder for vanilla flavored drinks or chai powder for chai lattes and teas.

OPTIONS:

iSteam: Intelligent steam wand automatically froths and steams milk; shuts off at programmed temperature

Self-Adjusting Grinder: Automatically adjusts the coffee grind size to compensate for environmental changes

Under Counter Grounds Chute: Chute that diverts ground coffee to under the counter waste container (not available when an under the counter fridge is installed directly under the machine)

External Hot Water Outlet: Hot water delivered through a separate outlet to the right of the drink spout

Self-Service Package: Includes locks for hopper, grounds drawer, and fridge, as well as cup stopper pins for the drink tray


SPACE REQUIREMENTS:

- Allow 1.5" clearance on all sides of the machine.
- Allow space to fill bean hoppers from the top 4" minimum 12" preferred
- Allow 24" x 5" for in-line filter. Filter can be mounted behind the machine or under the counter.

EGRO ONE Top Milk Powder with KS9 Fridge

High Volume Super Automatic Espresso Machine

KS9 FRIDGE



REFRIGERATOR SPECIFICATIONS:

The KS9 Fridge fits perfectly beside the EGRO ONE machine or can be placed under the counter to save counter space. A milk container is included with the KS9 Fridge, milk may be poured into this container for maximum benefits. This container holds 1.7 gallons of milk and contains a sensor to allow the machine to automatically determine milk levels. Alternatively, a standard 1-gallon milk container may be used if milk sensing is not needed.

COUNTER REQUIREMENTS:

Width	Depth	Height	Weight
ESPRESSO MACHINE with KS9 FRIDGE			
24"	23"	31"	190 lbs
with optional POWDER MODULE			
30"	23"	31"	219 lbs

SHIPPING DIMENSIONS AND WEIGHT:

Length	Width	Height	Weight
ESPRESSO MACHINE with KS9 FRIDGE			
36"	36"	33"	235 lbs
with optional POWDER MODULE			
48"	40"	33"	300 lbs

KS9 FRIDGE

Voltage Range: **110-120 VAC Single Phase**
 Watts: **200 W**
 Circuit Size: **15 amps**
 Suggested Receptacle: **5-15R GFI**

POWDER MODULE FEATURES:

- Two 2.6 lbs powder hoppers
- Perfect for a variety of water soluble powders
- Requires only 6" of counter space


with optional POWDER MODULE

Voltage Range: **110-120 VAC Single Phase**
 Watts: **200 W**
 Circuit Size: **15 amps**
 Suggested Receptacle: **5-15R GFI**

PLEASE NOTE: Egro coffee machines do not use a neutral line. A dedicated ground wire is required for proper performance.

EGRO ONE Top Milk Powder with KS9 Fridge

High Volume Super Automatic Espresso Machine



PLEASE NOTE: Power can be installed under or above counter. Please allow 3-4" of space for the plug, especially when placing power above the counter and behind the machine.


COUNTER REQUIREMENTS:

Width	Depth	Height	Weight
ESPRESSO MACHINE			
12"	23"	31"	126 lbs

SHIPPING DIMENSIONS AND WEIGHT:

Length	Width	Height	Weight
ESPRESSO MACHINE			
36"	36"	33"	155 lbs

DRILLING PLAN



SERVICE CONNECTIONS:

Electrical Connections


ESPRESSO MACHINE

Voltage Range: 208-240 VAC Single Phase

Watts: 6700 W

Circuit Size: 30 amps

Suggested Receptacle: NEMA L6-30R



PLEASE NOTE: Egro coffee machines do not use a neutral line. A dedicated ground wire is required for proper performance.

WATER CONNECTIONS:

Dedicated cold water access line with standard female 3/8" NPT fitting and manual shut-off valve within 4' of the machine required.

DRAIN REQUIREMENTS:

Open gravity drain rain with minimum 2" I.D. within 4' of the machine.

WATER QUALITY STATEMENT:

The fact that water is potable is no guarantee that it is suitable for coffee machines. Your water supply must be within these general guidelines:

SUPPLY PRESSURE: 30-70 psi

HARDNESS: 2-3 GPG (1 grain of hardness = 17.1 ppm)

Water entering the machine should have a water hardness level of 2-3 GPG at all times. If the water supply is not within this range, a dedicated water softener (if above 3 GPG) or mineral addition cartridge (if below 2 GPG) is required for the coffee machine to operate properly over time (see Rancilio Group North America Water Quality Statement for further details).

